

Publication list

Peer-reviewed papers

1. Scheffrahn, W., Lipp, H.-P., and Mahler, M. (1975). Serumproteine und Erythrozytenenzyme bei *Callithrix jacchus* (Platyrrhina). *Archiv für Genetik* 47, 96-104.
2. Lipp, H.-P. (1978). Aggression and flight behaviour of the marmoset monkey *Callithrix jacchus*: an ethogram for brain stimulation studies. *Brain, Behavior and Evolution* 15, 241-259.
3. Lipp, H.-P., and Hunsperger, R.W. (1978). Threat, attack and flight elicited by electrical stimulation of the of the ventromedial hypothalamus of the marmoset monkey *Callithrix jacchus*. *Brain, Behavior and Evolution* 15, 260-293.
4. Lipp, H.-P. (1979). Brain complexity enhances speed of behavioral evolution. *Behavioral and Brain Sciences* 2, 42.
5. Lipp, H.-P. (1979). Differential hypothalamic self-stimulation behaviour in Roman high- avoidance and low-avoidance rats. *Brain Research Bulletin* 4, 553-559.
6. Lipp, H.-P. (1980). A stereotaxic X-ray map of the hypothalamus of the marmoset monkey *Callithrix jacchus*. *Experimental Brain Research* 38, 189-196.
7. Lipp, H.-P. (1980). Brieftauben in der Armee - ein Anachronismus? *Krieg im Aether* 19/3, 1-24.
8. Lipp, H.-P., and Schwegler, H. (1980). Improved transport of horseradish peroxidase after injection with a non-ionic detergent (Nonidet P-40) into mouse cortex and observations on the relationship between spread at the injection site and amount of transported label. *Neuroscience Letters* 20, 49-54.
9. Schwegler, H., and Lipp, H.-P. (1981). Is there a correlation between hippocampal mossy fiber distribution and two-way avoidance performance in mice and rats? *Neuroscience Letters* 23, 25-30.
10. Schwegler, H., Van der Loos, H., Buselmaier, W., and Lipp, H.-P. (1981). Individual hippocampal mossy fiber distribution in mice correlates with two-way avoidance performance. *Science* 214(4522), 817-819.
11. Lipp, H.-P. (1983). Nocturnal homing in pigeons. *Comparative Biochemistry and Physiology (A)* 76A, 743-749.
12. Schwegler, H., and Lipp, H.-P. (1983). Hereditary covariations of neuronal circuitry and behavior: correlations between the proportions of hippocampal synaptic fields in the regio inferior and two-way avoidance in mice and rats. *Behavioural Brain Research* 7, 1-39.
13. Jouandet, M.L., Garey, L.J., and Lipp, H.-P. (1984). Distribution of the cells of origin of the corpus callosum and anterior commissure in the marmoset monkey. *Anatomy and Embryology* 169, 45-59.
14. Lipp, H.-P., Collins, R.L., and Nauta, W.J.H. (1984). Structural asymmetries in brains of mice selected for strong lateralization. *Brain Research* 310, 393-396.
15. Lipp, H.-P., Schwegler, H., and Driscoll, P. (1984). Postnatal modification of hippocampal circuitry alters avoidance learning in adult rats. *Science* 225, 80-82.
16. Lipp, H.-P., and Anders, D. (1985). A simple decoder for linking photocell arrays to a microcomputer. *Behavior Research Methods, Instrumentation & Computers* 17, 116-118.
17. Keller, F., Lipp, H.-P., and Waser, P.G. (1986). The organization of intrinsic hippocampal connections in explants of rat hippocampus studied by topical application of HRP crystals. *Brain Research* 380, 191-195.
18. Crusio, W.E., Schwegler, H., and Lipp, H.-P. (1987). Radial-maze performance and structural variation of the hippocampus in mice: a correlation with mossy fibre distribution. *Brain Research* 425, 182-185.
19. Lieblich, I., Driscoll, P., and Lipp, H.-P. (1987). Genetic relation between the readiness to self-stimulate lateral hypothalamus, two-way avoidance learning and the proportions of hippocampal synaptic fields in regio inferior. *Behavior Genetics* 17, 427-438.
20. Lipp, H.-P., Schwegler, H., Heimrich, B., Cerbone, A., and Sadile, A.G. (1987). Strain-specific correlations between hippocampal structural traits and habituation in a spatial novelty situation. *Behavioural Brain Research* 24, 111-123.
21. Lipp, H.-P. (1988). Les variations structurelles du cerveau: leur rôle dans l'évolution, et leur utilisation pour l'analyse du comportement d'apprentissage. *Bulletin de la Société Française pour l'Etude du Comportement Animal* 3(2), 87-89.
22. Lipp, H.-P., Schwegler, H., Heimrich, B., and Driscoll, P. (1988). Infrapyramidal mossy fibers and two-way avoidance learning: developmental modification of hippocampal circuitry and adult behavior of rats and mice. *Journal of Neuroscience* 8, 1905-1921.
23. Schwegler, H., Crusio, W.E., Lipp, H.-P., and Heimrich, B. (1988). Water-maze learning in the mouse correlates with variation in hippocampal morphology. *Behavior Genetics* 18, 153-166.
24. Schwegler, H., Lipp, H.-P., and Crusio, W.E. (1988). NZB mouse: hippocampal mossy fiber patterns and behavioral profiles of young and older animals. *Drug Dev. Res.* 15, 297-306.
25. Kurtz, A., Schurek, H.-J., Jelkmann, W., Muff, R., Lipp, H.-P., Heckmann, U., Eckardt, K.-U., Scholz, H., Fischer, J.A., and Bauer, C. (1989). Renal mesangium is a target for calcitonin gene-related peptide. *Kidney International* 36, 222-227.
26. Lipp, H.-P. (1989). Non-mental aspects of encephalisation: the forebrain as a playground of mammalian evolution. *Human Evolution* 4, 45-53.
27. Lipp, H.-P., Schwegler, H., Crusio, W.E., Wolfer, D.P., Heimrich, B., Driscoll, P., and Leisinger-Trigona, M.-C. (1989). Using genetically-defined rodent strains for the identification of hippocampal traits relevant for two-way avoidance learning: a non-invasive approach. *Experientia* 45, 845-859.
28. Lipp, H.-P. (1990). Flechsig's rule and quantitative behavior genetics. *Behavioral and Brain Sciences* 10, 320-322.
29. Gruber, D., Waanders, R., Collins, R.L., Wolfer, D.P., and Lipp, H.-P. (1991). Weak or missing paw preference in a mouse strain (I/LnJ) with congenital absence of the corpus callosum. *Behavioural Brain Research* 45, 9-16.
30. Lipp, H.-P., and Van der Loos, H. (1991). A computer-controlled Y-maze for testing vibrissae-tactile discrimination learning in mice. *Behavioural Brain Research* 45, 135-145.
31. Schöpke, R., Wolfer, D.P., Lipp, H.-P., and Leisinger-Trigona, M.-C. (1991). Swimming navigation and structural variations of the infrapyramidal mossy fibers in the hippocampus of the mouse. *Hippocampus* 1, 315-328.
32. Schwegler, H., Crusio, W.E., Lipp, H.-P., Brust, I., and Mueller, G.G. (1991). Early postnatal hyperthyroidism alters hippocampal circuitry and improves radial maze learning in adult mice. *Journal of Neuroscience* 11, 2102-2106.

33. Büeler, H., Fischer, M., Lang, Y., Blüthmann, H., Lipp, H.-P., DeArmond, S.J., Prusiner, S.B., Aguet, M., and Weissmann, C. (1992). The neuronal cell surface protein PrP is not essential for normal development and behavior of the mouse. *Nature* *356*, 577-582.
34. Lipp, H.-P., Wolfer, D.P., Qin, W.X., Klee, C.B., and Heizmann, C.W. (1992). CPB-18, a Ca²⁺-binding protein in rat brain: tissue distribution and localization. *Journal of Neurochemistry* *60*, 1639-1649.
35. Wolfer, D.P., and Lipp, H.-P. (1992). A computer program for detailed off-line analysis of Morris water maze behavior. *Journal of Neuroscience Methods* *41*, 65-74.
36. Dell'Omo, G., Wolfer, D., Alleva, E., and Lipp, H.-P. (1993). Impaired acquisition of swimming navigation in adult mice exposed prenatally to oxazepam. *Psychopharmacology (Berlin)* *111*, 33-38.
37. Baenziger, O., Jaggi, J.L., Müller, A.C., Morales, C.G., Lipp, H.-P., Lipp, A.E., Duc, G., and Bucher, H.-U. (1994). Cerebral blood flow in preterm infants affected by sex, mechanical ventilation, and intrauterine growth. *Pediatric Neurology* *11*, 319-324.
38. Bernasconi-Guastalla, S., Wolfer, D.P., and Lipp, H.-P. (1994). Hippocampal mossy fibers and swimming navigation in mice: correlations with size and left-right asymmetries. *Hippocampus* *4*, 53-64.
39. Leitinger, B., Poletaeva, I.I., Wolfer, D.P., and Lipp, H.-P. (1994). Swimming navigation, open-field activity and extrapolation behavior of two inbred mouse strains with Robertsonian translocation of chromosomes 8 and 17. *Behavior Genetics* *24*, 273-284.
40. Montag, D., Giese, K.P., Bartsch, U., Martini, R., Lang, Y., Blüthmann, H., Karthigasan, J., Kirschner, D.A., Wintergerst, E.S., Nave, K.-A., Zielasek, J., Toyka, K.V., Lipp, H.-P., and Schachner, M. (1994). Mice deficient for the myelin-associated glycoprotein show subtle abnormalities in myelin. *Neuron* *13*, 229-246.
41. Müller, U., Cristina, N., Li, Z.-W., Wolfer, D.P., Lipp, H.-P., Rüllicke, T., Brandner, S., Aguzzi, A., and Weissmann, C. (1994). Behavioral and anatomical deficits in mice homozygous for a modified b-amyloid precursor protein (bAPP) gene. *Cell* *79*, 755-765.
42. Wolfer, D.P., Henahan-Beatty, A., Stoeckli, E.T., Sonderegger, P., and Lipp, H.-P. (1994). Distribution of TAG-1/axonin-1 in fibre tracts and migratory streams of the developing mouse nervous system. *Journal of Comparative Neurology* *345*, 1-32.
43. Dell'Omo, G., Wolfer, D.P., Alleva, E., and Lipp, H.-P. (1995). Developmental exposure to ozone induces subtle changes in swimming navigation of adult mice. *Toxicology Letters* *81* (2-3), 91-99.
44. Fiore, M., Dell'Omo, G., Alleva, E., and Lipp, H.-P. (1995). A comparison of behavioural effects of prenatally administered oxazepam in mice exposed to open-fields in the laboratory and the real world. *Psychopharmacology* *122*, 72-77.
45. Lipp, H.-P. (1995). Genetic variability, individuality and the evolution of the mammalian brain. *Behavioural Processes* *35*, 19-33.
46. Wolfer, D.P., and Lipp, H.-P. (1995). Evidence for physiological sprouting of hippocampal mossy fiber collaterals in the guinea pig during puberty and adulthood. *Hippocampus* *5*, 329-340.
47. Hausheer-Zarmakupi, Z., Wolfer, D.P., Leisinger-Trigona, M.-C., and Lipp, H.-P. (1996). Selective breeding for extremes in open-field activity of mice entails a differentiation of hippocampal mossy fibers. *Behavior Genetics* *26*, 167-176.
48. Huang, Y.-Y., Bach, M.E., Lipp, H.-P., Zhuo, M., Wolfer, D.P., Hawkins, R.D., Schoonjans, L., Kandel, E.R., Godfraind, J.-M., Mulligan, R.C., Collen, D., and Carmeliet, P. (1996). Mice lacking the gene encoding tissue-type plasminogen activator show a selective interference with late phase LTP in both Schaffer collateral and mossy fiber pathways. *Proceedings of the National Academy of Sciences of the United States of America* *93*, 8699-8704.
49. Lipp, H.-P. (1996). "Columba militaris helvetica": Biologie und Verhaltensleistungen der schweizerischen Armeebrieftauben. *Acta Biologicae Benrodis Suppl.* *3*, 85-103.
50. Lipp, H.-P., Collins, R.L., Hausheer-Zarmakupi, Z., Leisinger-Trigona, M.-C., Crusio, W.E., Nosten-Bertrand, M., Signore, P., Schwegler, H., and Wolfer, D.P. (1996). Paw lateralization and intra/infrapyramidal mossy fibers in the hippocampus of the mouse. *Behavior Genetics* *26*, 167-176.
51. Müller, U., Cristina, N., Li, Z.W., Wolfer, D.P., Lipp, H.-P., Rüllicke, T., Brandner, S., Aguzzi, A., and Weissman, C. (1996). Mice homozygous for a modified beta-amyloid precursor protein (beta APP) gene show impaired behavior and high incidence of agenesis of the corpus callosum. *Annals of the New York Academy of Sciences* *777*, 65-73.
52. Brambilla, R., Gnesutta, N., Minichiello, N., White, G., Roylance, A., Herron, C., Ramsey, M., Wolfer, D.P., Cestari, V., Rossi-Arnaud, C., Grant, S.G.N., Chapman, P.F., Lipp, H.-P., Sturani, E., and Klein, R. (1997). A role for the RAS signaling pathway in synaptic transmission and long-term memory. *Nature* *390*, 281-286.
53. Monaghan, A.P., Bock, D., Gass, P., Schwäger, A., Wolfer, D.P., Lipp, H.-P., and Schütz, G. (1997). Aggressive behaviour and defective limbic system in mice lacking the *tailless* gene. *Nature* *315*, 515-517.
54. Schurmans, S., Schiffman, S.N., Gurden, H., Lemaire, H., Lipp, H.-P., Schwam, V., Pochet, R., Imperato, A., Vanderhaeghen, J.-J., Böhme, G.A., and Parmentier, M. (1997). Impaired LTP induction in the dentate gyrus of calretinin-deficient mice. *Proceedings of the National Academy of Sciences of the United States of America* *94*, 10415-10420.
55. Silva, A.J., Simpson, E.M., Takahashi, J.S., Lipp, H.-P., Nakanishi, S., Wehner, J.M., Giese, K.P., Tully, T., Abel, T., Chapman, P.F., Fox, K., Grant, S.G.N., Itohara, S., Lathe, R., Mayford, M., McNamara, J.O., Morris, R.J., Picciotto, M., Roder, J.C., Shin, H.-S., Slesinger, P.A., Storm, D.R., Stryker, M.P., Wang, Y., and Wolfer, D.P. (1997). Banbury Conference. Mutant mice and Neuroscience: recommendations concerning genetic background. *Neuron* *19*, 755-759.
56. Wolfer, D.P., and Lipp, H.-P. (1997). Gedächtnis und Lernen bei transgenen Mäusen: Fakt oder Artefakt? *Physiologie* *8*(6), 16-19.
57. Wolfer, D.P., Stagiar-Bozizevic, M., Müller, U., and Lipp, H.-P. (1997). Assessing the effects of the 129Sv genetic background on swimming navigation learning in transgenic mutants: a study using mice with a modified b-amyloid precursor gene. *Brain Research* *771*, 1-13.
58. Dell'Omo, G., Shore, R.F., and Lipp, H.-P. (1998). An automated system based on microchips for monitoring individual activity of wild small mammals. *Journal of Experimental Zoology* *280*, 97-99.
59. Gass, P., Wolfer, D.P., Balschun, D., Rudolph, D., Frey, U., Lipp, H.-P., and Schütz, G. (1998). Deficits in memory tasks of mice with CREB mutations depend on gene dosage. *Learning & Memory* *5*, 274-288.

60. Lipp, H.-P., Stagliar-Bozicevic, M., Fischer, M., and Wolfer, D.P. (1998). A two-year longitudinal study of swimming navigation in mice devoid of the prion protein: no evidence for neurological anomalies or learning impairments. *Behavioural Brain Research* *95*, 47-54.
61. Lipp, H.-P., and Wolfer, D.P. (1998). Genetically modified mice and cognition. *Current Opinion in Neurobiology* *8*, 272-280.
62. Magara, F., Welker, E., Wolfer, D.P., Drescher-Lindh, I., and Lipp, H.-P. (1998). Increased asymmetries in 2-deoxyglucose uptake in the brain of freely moving congenitally acallosal mice. *Neuroscience* *87*, 243-254.
63. Tremml, P., Lipp, H.-P., Müller, U., Ricceri, L., and Wolfer, D.P. (1998). Neurobehavioral development, adult openfield exploration and swimming navigation learning in mice with a modified b-amyloid precursor protein gene. *Behavioural Brain Research* *95*, 65-76.
64. Wolfer, D.P., Giger, R., Stagliar-Bozicevic, M., Sonderegger, P., and Lipp, H.-P. (1998). Expression of the axon growth-related neural adhesion molecule TAG-1/axonin-1 in the adult mouse brain. *Anatomy and Embryology* *197*, 177-185.
65. Wolfer, D.P., Mohajeri, H.M., Lipp, H.-P., and Schachner, M. (1998). Increased behavioral flexibility and reduced retention in the Morris watermaze in transgenic mice ectopically expressing the neural cell adhesion molecule L1 in astrocytes. *European Journal of Neuroscience* *10*, 708-717.
66. Wolfer, D.P., Stagliar-Bozicevic, M., and Lipp, H.-P. (1998). Spatial memory and learning in transgenic mice: fact or artefact? *News in Physiological Sciences* *13*, 118-123.
67. Balschun, D., Wolfer, D.P., Bertocchini, F., Barone, V., Conti, A., Zuschratter, W., Missiaen, L., Lipp, H.-P., and Sorrentino, V. (1999). Deletion of the ryanodine receptor type 3 (RyR3) impairs forms of synaptic plasticity and spatial learning. *EMBO J.* *18*, 5264-5273.
68. Magara, F., Müller, U., Lipp, H.-P., Weissmann, C., Stagliar, M., and Wolfer, D.P. (1999). Genetic background changes the pattern of forebrain commissure defects in transgenic mice underexpressing the b-amyloid-precursor protein. *Proceedings of the National Academy of Sciences of the United States of America* *96*, 4656-4661.
69. Minichiello, L., Korte, M., Wolfer, D.P., Kühn, R., Unsicker, K., Cestari, V., Rossi-Arnaud, C., Lipp, H.-P., Bonhoeffer, T., and Klein, R. (1999). Essential role for TrkB receptors in hippocampus-mediated learning. *Neuron* *24*, 401-414.
70. Phinney, A.L., Calhoun, M.E., Wolfer, D.P., Lipp, H.-P., Zheng, H., and Jucker, M. (1999). Aged APP-null mice exhibit a learning impairment, which is not mediated by hippocampal neuron or synaptic bouton number. *Neuroscience* *90*, 1207-1216.
71. Ulrich, C., Prior, H., Duka, T., Leshinskaya, I., Valenti, P., Güntürkün, O., and Lipp, H.-P. (1999). Left-hemispheric superiority for visuospatial orientation in homing pigeons. *Behavioural Brain Research* *104*, 169-178.
72. Chrast, R., Scott, H.S., Madani, R., Huber, L., Wolfer, D.P., Prinz, M., Aguzzi, A., Lipp, H.-P., and Antonarakis, S.E. (2000). Mice trisomic for a bacterial artificial chromosome with the single-minded gene 2 gene (*Sim2*) show phenotypes similar to those present in the partial trisomy 16 mouse models of Down syndrome. *Human Molecular Genetics* *9*, 1853-1864.
73. Dell'Omo, G., Ricceri, L., Wolfer, D.P., Poletaeva, I.I., and Lipp, H.-P. (2000). Temporal and spatial adaptation to food restriction in mice under naturalistic conditions. *Behavioural Brain Research* *115*, 1-8.
74. Gass, P., Kretz, O., Wolfer, D.P., Berger, S., Tronche, F., Reichardt, H.M., Kellendonk, C., Lipp, H.-P., Schmid, W., and Schütz, G. (2000). Genetic disruption of mineralocorticoid receptor leads to impaired neurogenesis and granule cell degeneration in the hippocampus of adult mice. *EMBO Reports* *1*, 447-451.
75. Heber, S., Herms, J., Gajic, V., Hainfellner, J., Aguzzi, A., Rülcke, T., Kretschmar, H., von Koch, C., Sisodia, S., Tremml, P., Lipp, H.-P., Wolfer, D.P., and Müller, U. (2000). Mice with combined gene knock-outs reveal essential and partially redundant functions of amyloid precursor protein family members. *Journal of Neuroscience* *20*, 7951-7963.
76. Lipp, H.-P. (2000). Big brains as shelters for odd genes: how fast does complex behavior evolve? *Behavioral and Brain Sciences* *23*, 155-156.
77. Magara, F., Ricceri, L., Wolfer, D.P., and Lipp, H.-P. (2000). The acallosal mouse strain l/LnJ: a putative model of ADHD? *Neuroscience & Biobehavioral Reviews* *24*, 45-50.
78. Pleskacheva, M.G., Wolfer, D.P., Kupriyanova, I.F., Nikolenko, D.L., Scheffrahn, H., Dell'Omo, G., and Lipp, H.-P. (2000). Hippocampal mossy fibers and swimming navigation learning in two vole species occupying different habitats. *Hippocampus* *10*, 17-30.
79. Steiner, I., Bürgi, C., Werffeli, S., Dell'Omo, G., Valenti, P., Tröster, G., Wolfer, D.P., and Lipp, H.-P. (2000). A GPS logger and software for analysis of homing in pigeons and small mammals. *Physiology & Behavior* *71*, 589-596.
80. Stork, O., Welzl, H., Wolfer, D.P., Schuster, T., Mantei, N., Stork, S., Hoyer, D., Lipp, H.-P., Obata, K., and Schachner, M. (2000). Recovery of emotional behaviour in neural cell adhesion molecule (NCAM) null mutant mice through transgenic expression of NCAM 180. *European Journal of Neuroscience* *12*, 3291-3306.
81. Wolfer, D.P., and Lipp, H.-P. (2000). Dissecting the behavior of transgenic mice: is it the mutation, the genetic background or the environment? *Experimental Physiology* *85*, 627-634.
82. Grünwald, I.C., Korte, M., Wolfer, D.P., Wilkinson, G.A., Unsicker, K., Lipp, H.-P., Bonhoeffer, T., and Klein, R. (2001). Kinase-independent requirement of EphB2 receptors in hippocampal synaptic plasticity. *Neuron* *32*, 1027-1040.
83. Lipp, H.-P., Pleskacheva, M.G., Gossweiler, H., Ricceri, L., Perepiolkina, O.P., Garin, N.N., Voronkov, D.N., Kuptsov, P.A., Smirnova, A.A., and Dell'Omo, G. (2001). A large outdoor radial maze for comparative studies in birds and mammals. *Neuroscience & Biobehavioral Reviews* *25*, 83-99.
84. Otto, C., Kovalchuk, Y., Wolfer, D.P.P., Gass, P., Martin, M., Zuschratter, W., Grone, H.J., Kellendonk, C., Tronche, F., Maldonado, R., Lipp, H.-P., Konnerth, A., and Schütz, G. (2001). Impairment of mossy fiber long-term potentiation and associative learning in pituitary adenylate cyclase activating polypeptide type I receptor-deficient mice. *Journal of Neuroscience* *21*, 5520-5527.
85. Otto, C., Martin, M., Wolfer, D.P.P., Lipp, H.-P., Maldonado, R., and Schütz, G. (2001). Altered emotional behavior in PACAP-type-I-receptor-deficient mice. *Molecular Brain Research* *92*, 78-84.
86. Poletaeva, I.I., Pleskacheva, M.G., Markina, N.W., Perepiolkina, O.W., Scheffrahn, H., Wolfer, D.P.P., and Lipp, H.-P. (2001). [Environmental habitat-related pressure: behavioral alterations and morphological changes in the brain of the house mouse] *Russian. Ecologia* *3*, 231-236.

87. Sauder, C., Wolfer, D.P., Lipp, H.-P., Staeheli, P., and Hausmann, J. (2001). Subtle learning deficits in mice with persistent Borna disease virus infection of the CNS associated with elevated chemokine expression. *Behavioural Brain Research* *120*, 189-201.
88. Valenti, P., Cozzio, A., Nishida, N., Wolfer, D.P., Sakaguchi, S., and Lipp, H.-P. (2001). Similar target, different effects: late-onset ataxia and spatial learning in Prion protein deficient mouse lines. *Neurogenetics* *3*, 173-184.
89. Welzl, H., D'Adamo, P., and Lipp, H.P. (2001). Conditioned taste aversion as a learning and memory paradigm. *Behavioural Brain Research* *125*, 205-213.
90. Wolfer, D.P., Madani, R., Valenti, P., and Lipp, H.-P. (2001). Extended analysis of path data from mutant mice using the public domain software Wintrack. *Physiol Behav* *73*, 745-753.
91. Biro, D., Guilford, T., Dell'Orno, G., and Lipp, H.-P. (2002). How the viewing of familiar landscapes prior to release allows pigeons to home faster: evidence from GPS tracking. *J Exp Biol* *205*, 3833-3844.
92. Colacicco, G., Welzl, H., Lipp, H.-P., and Würbel, H. (2002). Attentional set-shifting in mice: modification of a rat paradigm, and evidence for strain-dependent variation. *Behav Brain Res* *132*, 95-102.
93. D'Adamo, P., Welzl, H., Papadimitriou, S., Di Barletta, M.R., Tiveron, C., Tatangelo, L., Pozzi, L., Chapman, P.F., Knevet, S.G., Ramsay, M.F., Valtorta, F., Leoni, C., Menegon, A., Wolfer, D.P., Lipp, H.-P., and Toniolo, D. (2002). Deletion of the mental retardation gene *Gdi1* impairs associative memory and alters social behavior in mice. *Human Molecular Genetics* *11*, 2567-2580.
94. Dell'Orno, G., Pleskacheva, M.G., Wolfer, D.P., Lipp, H.-P., and Shore, R.F. (2002). Comparative effects of exposure to an organophosphate pesticide on locomotor activity of laboratory mice and five species of wild rodents. *Bulletin of Environmental Contamination and Toxicology in press*.
95. Dell'Orno, G., Vannoni, E., Vyssotski, A.L., Di Bari, M.A., Nonno, R., Agrimi, U., and Lipp, H.-P. (2002). Automated home cage monitoring of mice infected with BSE and scrapie differentiates early behavioural changes according to prion strain. *European Journal of Neuroscience* *16*, 735-742.
96. Lil'p, I.G., Pleskacheva, M.G., Poletaeva, I.I., Bizikoeva, F.Z., Ivanov, V.I., and Lipp, H.-P. (2002). [Structural abnormalities of hippocampus in 101/HY mice]. *Ontogeny* *33*, 206-212.
97. Lipp, H.-P., and Wolfer, D.P. (2002). Big brains for bad genes: non-mental correlates of encephalization. *Evolutionary Anthropology* *11*, 126-131.
98. Mazzucchelli, C., Vantaggiato, C., Ciamei, A., Fasano, S., Pakhotin, P., Krezel, W., Welzl, H., Wolfer, D.P., Pages, G., Valverde, O., Marowsky, A., Porrazzo, A., Orban, P.C., Maldonado, R., Ehrenguber, M.U., Cestari, V., Lipp, H.P., Chapman, P.F., Pouyssegur, J., and Brambilla, R. (2002). Knockout of ERK1 MAP kinase enhances synaptic plasticity in the striatum and facilitates striatal-mediated learning and memory. *Neuron* *34*, 807-820.
99. Pleskacheva, M.G., Zorina, Z.A., Nikolenko, D.L., Wolfer, D.P., Kostina, Z.A., and Lipp, H.-P. (2002). Behavioral impairments in Morris water maze in rats selectively bred for audiogenic seizure susceptibility (Krushinsky-Molodkina strain). *Zh Vyssh Nerv Deiat Im I P Pavlova* *52*, 356-365.
100. Tremml, P., Lipp, H.-P., Muller, U., and Wolfer, D.P. (2002). Enriched early experiences of mice underexpressing the beta-amyloid precursor protein restore spatial learning capabilities but not normal openfield behavior of adult animals. *Genes Brain Behav* *1*, 230-241.
101. Vyssotski, A.L., Dell'Orno, G., Poletaeva, I.I., Vyssotski, D.L., Minichiello, L., Klein, R., Wolfer, D.P., and Lipp, H.-P. (2002). Long-term monitoring of hippocampus-dependent behavior in naturalistic settings: mutant mice lacking the neurotrophin receptor *TrkB* in the forebrain show spatial learning but impaired behavioral flexibility. *Hippocampus* *12*, 27-38.
102. Weimerskirch, H., Bonnadonna, F., Bailleul, F., Mabile, G., Dell'Orno, G., and Lipp, H.-P. (2002). GPS tracking of foraging albatrosses. *Science* *295*, 1259.
103. Wolfer, D.P., Crusio, W.E., and Lipp, H.-P. (2002). Knockout mice: simple solutions to the problems of genetic background and flanking genes. *Trends Neurosci* *25*, 336-340.
104. Balschun, D., Wolfer, D.P., Gass, P., Mantamadiotis, T., Welzl, H., Schütz, G., Frey, J.U. & Lipp, H.-P. 2003 Does cAMP response element-binding protein (CREB) have a pivotal role in hippocampal synaptic plasticity and hippocampus-dependent memory? *J Neurosci*, *23*, 6304-6314.
105. Lang, U.E., Lang, F., Richter, K., Vallon, V., Lipp, H.P., Schnermann, J., and Wolfer, D.P. (2003). Emotional instability but intact spatial cognition in adenosine receptor 1 knock out mice. *Behav Brain Res* *145*, 179-188.
106. Lipp, H.-P., and Wolfer, D.P. (2003). Genetic background problems in the analysis of cognitive and neuronal changes in genetically modified mice. *Clin.Neurosci.Res.* *3*, 221-232.
107. Mohajeri, M.H., Saini, K., Li, H., Cramer, A., Lipp, H.-P., Wolfer, D., and Nitsch, R. (2003). Intact spatial memory in mice with seizure-induced partial loss of hippocampal pyramidal neurons. *Neurobiology of Disease* *12*, 174-181.
108. Pleskacheva, M.G., Kuptsov, P.A., Smirnova, A.A., Bagotskaia, M.S., and Lipp, H.P. (2003). [Conditioning of gray crows (*Corvus cornix* L.) in a "giant" eight-arm radial maze]. *Zh Vyssh Nerv Deiat Im I P Pavlova* *53*, 808-811.
109. Zorner, B., Wolfer, D.P., Brandis, D., Kretz, O., Zacher, C., Madani, R., Grunwald, I., Lipp, H.P., Klein, R., Henn, F.A., and Gass, P. (2003). Forebrain-specific *trkB*-receptor knockout mice: behaviorally more hyperactive than "depressive". *Biol Psychiatry* *54*, 972-982.
110. Amrein, I., Slomianka, L., and Lipp, H.P. (2004). Granule cell number, cell death and cell proliferation in the dentate gyrus of wild-living rodents. *Eur J Neurosci* *20*, 3342-3350.
111. Amrein, I., Slomianka, L., Poletaeva, I.I., Bologova, N.V., and Lipp, H.P. (2004). Marked species and age-dependent differences in cell proliferation and neurogenesis in the hippocampus of wild-living rodents. *Hippocampus* *14*, 1000-1010.
112. D'Adamo, P., Bacchelli, E., Blasi, F., Lipp, H.P., Toniolo, D., and Maestrini, E. (2004). DNA variants in the human *RAB3A* gene are not associated with autism. *Genes Brain Behav* *3*, 123-124.
113. D'Adamo, P., Wolfer, D.P., Kopp, C., Tobler, I., Toniolo, D., and Lipp, H.P. (2004). Mice deficient for the synaptic vesicle protein *Rab3a* show impaired spatial reversal learning and increased explorative activity but none of the behavioral changes shown by mice deficient for the *Rab3a* regulator *Gdi1*. *Eur J Neurosci* *19*, 1895-1905.
114. Korbo, L., Amrein, I., Lipp, H.P., Wolfer, D., Regeur, L., Oster, S., and Pakkenberg, B. (2004). No evidence for loss of hippocampal neurons in non-Alzheimer dementia patients. *Acta Neurol Scand* *109*, 132-139.

115. Lewejohann, L., Skryabin, B.V., Sachser, N., Prehn, C., Heiduschka, P., Thanos, S., Jordan, U., Dell'Omo, G., Vyssotski, A.L., Pleskacheva, M.G., Lipp, H.P., Tiedge, H., Brosius, J., and Prior, H. (2004). Role of a neuronal small non-messenger RNA: behavioural alterations in BC1 RNA-deleted mice. *Behav Brain Res* 154, 273-289.
116. Lipp, H.P., Vyssotski, A.L., Wolfer, D.P., Renaudineau, S., Savini, M., Troster, G., and Dell'Omo, G. (2004). Pigeon homing along highways and exits. *Curr Biol* 14, 1239-1249.
117. Mohajeri, M.H., Madani, R., Saini, K., Lipp, H.P., Nitsch, R.M., and Wolfer, D.P. (2004). The impact of genetic background on neurodegeneration and behavior in seized mice. *Genes Brain Behav* 3, 228-239.
118. Raivich, G., Bohatschek, M., Da Costa, C., Iwata, O., Galiano, M., Hristova, M., Nateri, A.S., Makwana, M., Riera-Sans, L., Wolfer, D.P., Lipp, H.P., Aguzzi, A., Wagner, E.F., and Behrens, A. (2004). The AP-1 transcription factor c-Jun is required for efficient axonal regeneration. *Neuron* 43, 57-67.
119. Umbricht, D., Vyssotsky, D., Latanov, A., Nitsch, R., Brambilla, R., D'Adamo, P., and Lipp, H.P. (2004). Midlatency auditory event-related potentials in mice: comparison to midlatency auditory ERPs in humans. *Brain Res* 1019, 189-200.
120. Wolfer, D.P., Litvin, O., Morf, S., Nitsch, R.M., Lipp, H.P., and Wurbel, H. (2004). Laboratory animal welfare: cage enrichment and mouse behaviour. *Nature* 432, 821-822.
121. Dong, Z., Wolfer, D.P., Lipp, H.P., and Bueler, H. (2005). Hsp70 gene transfer by adeno-associated virus inhibits MPTP-induced nigrostriatal degeneration in the mouse model of Parkinson disease. *Mol Ther* 11, 80-88.
122. Galsworthy, M.J., Amrein, I., Kuptsov, P.A., Poletaeva, I., Zinn, P., Rau, A., Vyssotski, A., and Lipp, H.P. (2005). A comparison of wild-caught wood mice and bank voles in the Intellicage: assessing exploration, daily activity patterns and place learning paradigms. *Behav Brain Res* 157, 211-217.
123. Umbricht, D., Vyssotski, D., Latanov, A., Nitsch, R., and Lipp, H.-P. (2005). Deviance-related electrophysiological activity in mice: is there mismatch negativity in mice? *Clin Neurophysiol* 116, 353-363.
124. Waltereit, R., Welzl, H., Dichgans, J., Lipp, H.P., Schmidt, W.J., and Weller, M. (2006). Enhanced episodic-like memory and kindling epilepsy in a rat model of tuberous sclerosis. *J Neurochem* 96, 407-413.
125. Vyssotski, A.L., Serkov, A.N., Itskov, P.M., Dell'Omo, G., Latanov, A.V., Wolfer, D.P., and Lipp, H.-P. (2006). Miniature neurologgers for flying pigeons: multichannel EEG, action and field potentials in combination with GPS recording. *J Neurophysiol* 95, 1263-1273.
126. Züger, M., Urani, A., Chourbaji, S., Zacher, C., Lipp, H.-P., Albrecht, U., Spanagel, R., Wolfer, D.P., and Gass, P. (2006). mPer1 and mPer2 mutant mice show regular spatial and contextual learning in standardized tests for hippocampus-dependent learning. *J Neural Transm* 113, 347-356.
127. Berger, S., Wolfer, D.P., Selbach, O., Alter, H., Erdmann, G., Reichardt, H.M., Chepkova, A.N., Welzl, H., Haas, H.L., Lipp, H.-P., and Schütz, G. (2006). Loss of the limbic mineralocorticoid receptor impairs behavioral plasticity. *Proc Natl Acad Sci U S A* 103, 195-200.
128. Knapaska, E., Walasek, G., Nikolaev, E., Neuhäusser-Wespy, F., Lipp, H.-P., Kaczmarek, L., and Werka, T. (2006). Differential involvement of the central amygdala in appetitive versus aversive learning. *Learn Mem* 13, 192-200.
129. Nonno, R., Di Bari, M.A., Cardone, F., Vaccari, G., Fazzi, P., Dell, Omo, G., Cartoni, C., Ingrassio, L., Boyle, A., Galeno, R., Sbriccoli, M., Lipp, H.-P., Bruce, M., Pocchiari, M., and Agrimi, U. (2006). Efficient transmission and characterization of Creutzfeldt-Jakob disease strains in bank voles. *PLoS Pathogens* 2, e12.
130. Amrein, I., Dechmann, D.K., Winter, Y., and Lipp, H.P. (2007) Absent or low rate of adult neurogenesis in the hippocampus of bats (chiroptera). *PLoS ONE* 2, e455.
131. Dumas, S., Betourne, A., Halley, H., Wolfer, D.P., Lipp, H.-P., Lassalle, J.-M., and Francés, B. (2007) Transient activation of the CA3 Kappa opioid system in the dorsal hippocampus modulates complex memory processing in mice. *Neurobiol. Memory Learn.* 88, 94-103.
132. Gagliardo, A., Ialè, P., Savini, M., Lipp, H.-P., and Dell'Omo, G. (2007) Finding home: the final step of the pigeons' homing process studied with a GPS data logger. *J. Exp. Biol.* 210, 1132-1138.
133. Ben Abdallah, N.M., Slomianka, L., and Lipp, H.P. (2007) Reversible effect of X-irradiation on proliferation, neurogenesis, and cell death in the dentate gyrus of adult mice. *Hippocampus* 17, 1230-1240.
134. Poirier, R., Jacquot, S., Vaillend, C., Southphong, A.A., Libbey, M., Davis, S., Laroche, S., Hanauer, A., Welzl, H., Lipp, H.-P., and Wolfer, D.P. (2007) Deletion of the Coffin-Lowry syndrome gene Rsk2 in mice is associated with impaired spatial learning and reduced control of exploratory behavior. *Behav Genet* 37, 31-50.
135. Bickel, S., Lipp, H.P. & Umbricht, D. (2008) Early auditory sensory processing deficits in mouse mutants with reduced NMDA receptor function. *Neuropsychopharmacology*, 33, 1680-1689.
136. Costantini, D., Dell'Araccia, G. & Lipp, H., -P. (2008) Long flights and age affect oxidative status of homing pigeons (*Columba livia*). *J. Exp. Biol.*, 211, 377-381.
137. Gebhardt-Henrich, S.G., Edwards, J.F., Famula, T.R., Lipp, H.-P. & Steiger, A. 2008 Hereditary hydrocephalus internus in a laboratory strain of golden hamsters (*Mesocricetus auratus*). *Animal*, 2, 1265-1272.
138. Dell'Araccia, G., Dell'Omo, G., Wolfer, D. P., & Lipp, H.-P. (2008). Flock flying improves pigeons' homing: GPS track analysis of individual flyers versus small groups. *Anim. Behav.*, 76, 1165-1172.
139. Amrein, I. & Lipp, H.-P. (2009) Adult hippocampal neurogenesis of mammals: evolution and life history. *Biol Letters*, 5, 141-144.
140. Bianchi, V., Farisello, P., Baldelli, P., Meskenaite, V., Milanese, M., Vecellio, M., Lipp, H.-P., Bonanno, G., Benfenati, F., Toniolo, D. & D'Adamo, P. (2009) Cognitive impairment in Gdi1 deficient mice is associated with altered synaptic vesicle pools and short-term synaptic plasticity, and can be corrected by appropriate learning training. *Hum. Mol. Genet.*, 18, 105-117.
141. Dell'Araccia, G., Dell'Omo, G., & Lipp, H.-P. (2009). The influence of experience in orientation: GPS tracking of homing pigeons released over the sea after directional training. *J Exp Biol*, 212, 178-183.
142. Hauser, T., Klaus, F., Lipp, H. P., & Amrein, I. (2009). No effect of running and laboratory housing on adult hippocampal neurogenesis in wild caught long-tailed wood mouse. *BMC Neurosci*, 10, 43.

143. Vyssotski, A. L., Dell'Omo, G., Dell'Ariceia, G., Abramchuk, A. N., Serkov, A. N., Latanov, A. V., Loizzo, A., Wolfer, D. P., & Lipp, H.-P. (2009). EEG in flying pigeons responds to familiar visual landmarks. *Curr. Biol.*, *19*, 1-8.
144. Branchi, I., D'Andrea, I., Cirulli, F., Lipp, H.P. & Alleva, E. (2009) Shaping brain development: Mouse communal nesting blunts adult neuroendocrine and behavioral response to social stress and modifies chronic antidepressant treatment outcome. *Psychoneuroendocrinology*. ePub ahead of print.
145. Costantini, D. & Lipp, H.P. (2009) Short restraint time does not influence markers of serum oxidative stress in homing pigeons (*Columba livia*). *J Anim Physiol Anim Nutr (Berl)*. ePub ahead of print.
146. Dell'Ariceia, G., Costantini, D., Dell'Omo, G. & Lipp, H.P. (2009) Waiting time before release increases the motivation to home in homing pigeons (*Columba livia*). *J Exp Biol*, *212*, 3361-3364.
147. Jaholkowski, P., Kiryk, A., Jedynek, P., Ben Abdallah, N.M., Knapka, E., Kowalczyk, A., Piechal, A., Blecharz-Klin, K., Figiel, I., Lioudyno, V., Widy-Tyszkiewicz, E., Wilczynski, G.M., Lipp, H.P., Kaczmarek, L. & Filipkowski, R.K. (2009) New hippocampal neurons are not obligatory for memory formation; cyclin D2 knockout mice with no adult brain neurogenesis show learning. *Learn Mem.*, *16*, 439-451.
148. Klaus, F., Hauser, T., Slomianka, L., Lipp, H.P. & Amrein, I. (2009) A reward increases running-wheel performance without changing cell proliferation, neuronal differentiation or cell death in the dentate gyrus of C57BL/6 mice. *Behav Brain Res*, *204*, 175-181.
149. Lipp, H.P. (2009) Towards the neurobiology of large-scale spatial cognition (Commentary on Gagliardo et al.). *Eur J Neurosci*, *29*, 2388.
150. Ben Abdallah, N.M., Slomianka, L., Vyssotski, A.L. & Lipp, H.P. (2010) Early age-related changes in adult hippocampal neurogenesis in C57 mice. *Neurobiol Aging*, *31*, 151-161.
151. Gatome, C.W., Slomianka, L., Lipp, H.P. & Amrein, I. (2010) Number estimates of neuronal phenotypes in layer II of the medial entorhinal cortex of rat and mouse. *Neuroscience* *170*, 156-165.
152. Gatome, C.W., Slomianka, L., Mwangi, D.K., Lipp, H.P. & Amrein, I. (2010) The entorhinal cortex of the Megachiroptera: a comparative study of Wahlberg's epauletted fruit bat and the straw-coloured fruit bat. *Brain Struct Funct*, *214*, 375-393.
153. Gatome, C.W., Mwangi, D.K., Lipp, H.P. & Amrein, I. 2010 Hippocampal neurogenesis and cortical cellular plasticity in Wahlberg's epauletted fruit bat: a qualitative and quantitative study. *Brain Behav Evol*, *76*, 116-127.
154. Etholm, L., Arabadzisz, D., Lipp, H.P. & Heggelund, P. (2010) Seizure logging: A new approach to synchronized cable-free EEG and video recordings of seizure activity in mice. *J Neurosci Methods*, *192*, 254-260.
155. Krackow, S., Vannoni, E., Codita, A., Mohammed, A.H., Cirulli, F., Branchi, I., Alleva, E., Reichelt, A., Willuweit, A., Voikar, V., Colacicco, G., Wolfer, D.P., Buschmann, J.U., Safi, K. & Lipp, H.P. (2010) Consistent behavioral phenotype differences between inbred mouse strains in the IntelliCage. *Genes Brain Behav.* *9*, 722-731.
156. Voikar, V., Colacicco, G., Gruber, O., Vannoni, E., Lipp, H.P. & Wolfer, D.P. (2010) Conditioned response suppression in the IntelliCage: assessment of mouse strain differences and effects of hippocampal and striatal lesions on acquisition and retention of memory. *Behav Brain Res*, *213*, 304-312.
157. Ben Abdallah, N.M., Fuss, J., Trusel, M., Galsworthy, M.J., Bobsin, K., Colacicco, G., Deacon, R.M., Riva, M.A., Kellendonk, C., Sprengel, R., Lipp, H.-P. & Gass, P. (2011) The puzzle box as a simple and efficient behavioral test for exploring impairments of general cognition and executive functions in mouse models of schizophrenia. *Exp Neurol*. *227*, 42-52.
158. Daan, S., Spoelstra, K., Albrecht, U., Schmutz, I., Daan, M., Daan, B., Rienks, F., Poletaeva, I., Dell'Omo, G., Vyssotsky, A.L. & Lipp, H.-P. 2011 Lab mice in the field: unorthodox daily activity and effects of a dysfunctional circadian clock allele. *J. Biol. Rhythms*, *26*, 118-129.
159. Endo, T., Maekawa, F., Voikar, V., Hajjima, A., Uemura, Y., Zhang, Y., Miyazaki, W., Suyama, S., Shimazaki, K., Wolfer, D.P., Yada, T., Tohyama, C., Lipp, H.P. & Kakeyama, M. (2011) Automated test of behavioral flexibility in mice using a behavioral sequencing task in IntelliCage. *Behav Brain Res*, *221*, 172-181.
160. Kiryk, A., Mochol, G., Filipkowski, R.K., Wawrzyniak, M., Lioudyno, V., Knapka, E., Gorkiewicz, T., Balcerzyk, M., Łeski, S., Van Leuven, F., Lipp, H.P., Wójcik, D.K. & Kaczmarek, L. 2011 Cognitive abilities of Alzheimer's disease transgenic mice are modulated by social context and circadian rhythm. *Curr. Alzheimer Res.*, *8*, 883-892.
161. Klaus, F., Hauser, T., Lindholm, A.K., Cameron, H.A., Slomianka, L., Lipp, H.-P. & Amrein, I. 2011 Different regulation of adult hippocampal neurogenesis in Western house mice (*Mus musculus domesticus*) and C57BL/6 mice. *Behav. Brain Res.*, *227*, 340-347.
162. Amrein, I. & Lipp, H.P. 2011 Comparing adult hippocampal neurogenesis in mammalian species and orders: influence of chronological age and life stage. *Eur. J. Neurosci.*, *34*, 978-987.
163. Codita, A., Mohammed, A. H., Willuweit, A., Reichelt, A., Alleva, E., Branchi, I., Cirulli, F., Colacicco, G., Voikar, V., Wolfer, D. P., Buschmann, J. U., Lipp, H.-P., Vannoni, E. & Krackow, S. 2011. Effects of spatial and cognitive enrichment on activity pattern and learning performance in three strains of mice in the IntelliMaze. *Behav Genet*, *42*, 449-460
164. Dell'Ariceia, G., Benhamou, S., Dell'Omo, G. & Lipp, H.-P. 2011. GPS track analysis reveals that homing of pigeons is not influenced by geomagnetic anomalies. In: *Royal Institute for Navigation. RIN11-Birds, Humans and Other Animals Conference*. Reading, UK.
165. Giorgio, M., Berry, A., Berniakovich, I., Poletaeva, I., Trine, M., Stendardo, M., Hagopian, K., Ramsey, J., Cortopassi, G., Migliaccio, E., Nötzli, S., Amrein, I., Lipp, H.-P., Cirulli, F. & Pelicci, P. G. 2011. The p66Shc knocked out mice are short lived under natural condition. *Ageing Cell*, *11*, 162-168.
166. Landers, M. S., Knott, G. W., Lipp, H.-P., Poletaeva, I. & Welker, E. 2011. Synapse formation in adult barrel cortex following naturalistic environmental enrichment. *Neuroscience*, *199*, 143-152.
167. Berry, A., Amrein, I., Nötzli, S., Lazic, S. E., Bellisario, V., Giorgio, M., Pelicci, P. G., Alleva, E., Lipp, H. P. & Cirulli, F. 2012. Sustained hippocampal neurogenesis in females is amplified in P66(Shc^{-/-}) mice: An animal model of healthy aging. *Hippocampus*, *22*, 2249-2259.
168. Ramakers, G., Wolfer, D. P., Rosenberger, G., Kuchenbecker, K., Kreienkamp, H. J., Prange-Kiel, J., Rune, G., Richter, K., Langnaese, K., Masneuf, S., Bösl, M. R., Fischer, K. D., Krugers, H. J., Lipp, H.-P., Van Galen, E. & Kutsche, K. 2012. Dysregulation of Rho GTPases in the {alpha}Pix/Arhgef6 mouse model of X-linked intellectual disability is paralleled by impaired structural and synaptic plasticity and cognitive deficits. *Human Molecular Genetics*, *21*, 268-286.

169. Corradini, I., Donzelli, A., Antonucci, F., Welzl, H., Loos, M., Martucci, R., De Astis, S., Pattini, L., Inverardi, F., Wolfer, D., Caleo, M., Bozzi, Y., Verderio, C., Frassoni, C., Braida, D., Clerici, M., Lipp, H. P., Sala, M. & Matteoli, M. (2012), Epileptiform Activity and Cognitive Deficits in SNAP-25+/- Mice are Normalized by Antiepileptic Drugs. *Cereb Cortex*. ePub ahead of press.
170. Codita, A., Mohammed, A.H., Willuweit, A., Reichelt, A., Alleva, E., Branchi, I., Cirulli, F., Colacicco, G., Voikar, V., Wolfer, D.P., Buschmann, F.J., Lipp, H.P., Vannoni, E. & Krackow, S. (2012) Effects of spatial and cognitive enrichment on activity pattern and learning performance in three strains of mice in the IntelliMaze. *Behav Genet*, 42, 449-460.
171. Giorgio, M., Berry, A., Berniakovich, I., Poletaeva, I., Trine, M., Stendardo, M., Hagopian, K., Ramsey, J., Cortopassi, G., Migliaccio, E., Nötzli, S., Amrein, I., Lipp, H.-P., Cirulli, F. & Pelicci, P.G. (2012) The p66Shc knocked out mice are short lived under natural condition. *Ageing Cell*, 11, 162-168.
172. Klaus, F., Hauser, T., Lindholm, A.K., Cameron, H.A., Slomianka, L., Lipp, H.P. & Amrein, I. (2012) Different regulation of adult hippocampal neurogenesis in Western house mice (*Mus musculus domesticus*) and C57BL/6 mice. *Behav Brain Res*, 227, 340-347.
173. Старостенко, В.И., Каневский, В.А., Ентин, В.А., Гинтов, О.Б., Моренков, Е.Д., Бласер, Н. & Липп, Ч.П. (2012) Навигационные особенности полетов голубей в гравитационном поле Украины. *Геофизический Журнал*, 34, 20-35.
174. Cavegn, N., van Dijk, R.M., Menges, D., Brettschneider, H., Phalanndwa, M., Chimimba, C.T., Isler, K., Lipp, H.P., Slomianka, L. & Amrein, I. (2013) Habitat-specific shaping of proliferation and neuronal differentiation in adult hippocampal neurogenesis of wild rodents. *Front Neurosci*, 7, 59.
175. Blaser, N., Dell'Omo, G., Dell'Arciccia, G., Wolfer, D.P. & Lipp, H.-P. (2013) Testing cognitive navigation in unknown territories: homing pigeons choose different targets. *J. Exp. Biol.*, 216, 3123-3131.
176. Blaser, N., Guskov, S.I., Meskenaitė, V., Kanevskiy, V.A. & Lipp, H.-P. (2013) Altered orientation and flight paths of pigeons reared on gravity anomalies: a GPS tracking study. *Plos One*, 8, e77102.
177. Kobayashi, Y., Sano, Y., Vannoni, E., Goto, H., Suzuki, H., Oba, A., Kawasaki, H., Kanba, S., Lipp, H.P., Murphy, N.P., Wolfer, D.P. & Itohara, S. (2013) Genetic dissection of medial habenula-interpeduncular nucleus pathway function in mice. *Front Behav Neurosci*, 7, 17.
178. Puscian, A., Leski, S., Gorkiewicz, T., Meyza, K., Lipp, H.-P. & Knapska, E. (2014) A novel automated behavioral test battery assessing cognitive rigidity in two genetic mouse models of autism. *Front Behav Neurosci* 8,140.
179. Santos, C.D., Neupert, S., Lipp, H.P., Wikelski, M. & Dechmann, D.K. (2014). Temporal and contextual consistency of leadership in homing pigeon flocks. *PLoS One* 9 (7), e102771.
180. Vannoni, E., Voikar, V., Colacicco, G., Sanchez, M.A., Lipp, H.-P. & Wolfer, D.P. (2014) Spontaneous behavior in the social homecage discriminates strains, lesions and mutations in mice. *J Neurosci Methods*, ePub ahead of press.
181. Blaser, N., Guskov, S.I., Entin, V.A., Wolfer, D.P., Kanevskiy, V.A. & Lipp, H.-P. (2014) Gravity anomalies without geomagnetic disturbances interfere with pigeon homing - a GPS tracking study. *J Exp Biol*, in revision.

Book chapters

1. Lipp, H.-P. (1975). Droh-, Angriffs- und Fluchtverhalten beim Krallenäffchen *Callithrix jacchus*. Natürliche Verhaltensweisen und deren zentralnervöse Repräsentation im ventromedialen Hypothalamus. Eine neuroethologische Studie. (Zuerich: Ph.D. Thesis University of Zuerich).
2. Lipp, H.-P. (1979). Possible neural bases for aggressive interactions in the marmoset monkey *Callithrix jacchus*. In *Biology and Behaviour of Marmosets*, H. Rothe, J. Hearn and J. Wolters, eds. (Rothe Verlag, Goettingen), pp. 75-80.
3. Lipp, H.-P., and Schwegler, H. (1982). Hippocampal mossy fibers and avoidance learning. In *Genetics of the Brain*, I. Lieblisch, ed. (Amsterdam: Elsevier), pp. 326-364.
4. Lipp, H.-P., and Frei, U. (1982). Variations of nocturnal performance in pigeons. In *Avian Navigation*, F. Papi and H.G. Wallraff, eds. (Berlin: Springer), pp. 271-280.
5. Schwegler, H., Heimrich, B., Crusio, W.E., and Lipp, H.-P. (1985). Hippocampal mossy fiber distribution and two-way avoidance learning in rats and mice. In *Brain Plasticity, Learning, and Memory*, B.E. Will, P. Schmitt and J.C. Dalrymple-Alford, eds. (Plenum Publishing Corporation, London), pp. 127-138.
6. De Viragh, P.A., Wolfer, D.P., Lipp, H.-P., and Celio, M.R. (1988). Behavioral changes in chronically D-hypervitaminotic animals. In *Vitamin D: Molecular, Cellular and Clinical Endocrinology*, A.W. Norman, ed. (Berlin/New York: Walter de Gruyter), pp. 1001-1006.
7. Lipp, H.-P. (1988). The forebrain as a playground of mammalian evolution. In *Intelligence and Evolutionary Biology*. NATO ASI Series Vol. G17, H.J. Jerison and I. Jerison, eds. (Berlin/Heidelberg: Springer), pp. 109-118.
8. Lipp, H.-P., and Schwegler, H. (1989). Structural variations of the hippocampal mossy fiber system and avoidance learning. In *The Hippocampus - New Vistas*, C. Köhler and V. Chan-Palay, eds. (New York: Alan Liss Inc.), pp. 295-307.
9. Driscoll, P., Cohen, C., Fackelman, P., Lipp, H.-P., and Bättig, K. (1991). Effects of pre- and postnatal injections of "smoking doses" of nicotine, or vehicle alone, on the maternal behavior and second-generation adult behavior of Roman High- and Low-avoidance rats. In *Effects of Nicotine on Biological Systems. Advances in Pharmacological Sciences*, F. Adlkofer and K. Thureau, eds. (Basel: Birkhaeuser), pp. 465-469.
10. Lipp, H.-P., and Wahlsten, D. (1992). Absence of the corpus callosum. In *Genetically-Defined Animal Models of Neuro-Behavioral Dysfunction*, P. Driscoll, ed. (Boston: Birkhaeuser), pp. 217-252.
11. Lipp, H.-P. (1992). Chaos und Fuzzy Systems in der Schweizer Armee: ein Fall für Brieftauben. In *Informationstechnik und Armee*, Vol. 31, BAUEM, ed. (Bern: EDMZ), pp. 4/1-4/16.
12. Lipp, H.-P., and Wolfer, D.P. (1995). New paths towards old dreams: microphrenology or the study of intact brains in intact worlds. In *Behavioural Brain Research in Naturalistic and Semi-Naturalistic Settings: Possibilities and Perspectives*, E. Alleva, A. Fasolo, H.-P. Lipp, L. Nadel and L. Ricceri, eds. (Dordrecht, The Netherlands: Kluwer), pp. 1-39.
13. Schenk, F., Grobéty, M.-C., Lavenex, P., and Lipp, H.-P. (1995). Dissociation between basic components of spatial memory in rats. In *Behavioural Brain Research in Naturalistic and Semi-Naturalistic Settings: Possibilities and Perspectives*, E. Alleva, A. Fasolo, H.-P. Lipp, L. Nadel and L. Ricceri, eds. (Dordrecht, The Netherlands: Kluwer), pp. 277-300.

14. Lipp, H.-P. (1996) "Columba militaris helvetica": Biologie und Verhaltensleistungen der schweizerischen Armeebrieftauben. . *Acta Biologicae Benrodis* Suppl. 3, 85-103.
15. Schwegler, H., and Lipp, H.-P. (1995). Variations in the morphology of the septo-hippocampal complex and maze learning in rodents: correlation between morphology and behavior. In *Behavioural Brain Research in Naturalistic and Semi-Naturalistic Settings: Possibilities and Perspectives*, E. Alleva, A. Fasolo, H.-P. Lipp, L. Nadel and L. Ricceri, eds. (Dordrecht, Netherlands: Kluwer), pp. 259-276.
16. Alleva, E., Fasolo, A., Lipp, H.-P., Nadel, L., and Ricceri, L. eds. (1995). *Behavioural Brain Research in Naturalistic and Semi-Naturalistic Settings: Possibilities and Perspectives* (Dordrecht, Netherlands: Kluwer).
17. Lipp, H.-P., and Wolfer, D.P. (1999). Natural genetic variation of hippocampal structures and behavior. In *Cellular and Quantitative Methods in Neurogenetics. Methods in Life Sciences - Cellular and Molecular Neuropharmacology* (Lakoski), B.C. Jones and P. Mormède, eds. (Boca Raton, Florida: CRC Press), pp. 217-235.
18. Lipp, H.-P. (2000). Variazione biologica delle capacità cognitive e dell'apprendimento. In *Frontiere della Vita*, Vol. 4, Il Mondo dei Viventi, E. Alleva and P.P.G. Bateson, eds. (Roma: Istituto delle Enciclopedia Italiana Treccani), pp. 111-132.
19. Lipp, H.-P., and Wolfer, D.P. (2000). Assessing behavior, memory and learning of genetically modified mice by factor analysis based on track analysis using ETHOVISION and WINTRACK. In *Measuring Behavior 2000. Proceedings of the 3rd International Conference on Methods and Techniques in Behavioral Research*, L.P.J.J. Noldus, ed. (Wageningen, Netherlands: 2000 Noldus Information Technology), pp. 204-206.
20. Lipp, H.-P., Bürgli, C., Werffeli, S., Steiner, I., Tröster, G., and Wolfer, D.P. (2000). A miniaturized GPS system and WINTRACK software for analysis of homing paths in pigeons. In *Measuring Behavior 2000. Proceedings of the 3rd International Conference on Methods and Techniques in Behavioral Research*, L.P.J.J. Noldus, ed. (Wageningen, Netherlands: 2000 Noldus Information Technology), pp. 201-203.
21. Lipp, H.-P. (2002). Assessing complex rodent behavior in ecotoxicology. In *Behavioural Ecotoxicology*, G. Dell'Ormo, ed. (Chichester, West Sussex: Wiley & Sons), pp. 231-272.
22. Lipp, H.-P., and Wolfer, D.P. (2002). Big brains for bad genes: non-mental correlates of encephalization. In *Primateology and Anthropology: Into the Third Millennium, Volume Evolutionary Anthropology Supplement*, C. Soligo, G. Anzenberger and R.D. Martin, eds. (New York: Wiley).
23. Lipp, H.-P., and Wolfer, D.P. (2003). Neurogenetic Approaches. In *Encyclopedia of Cognitive Science, Volume 3*, L. Nadel, ed. (London: Nature Publishing Group), pp. 305-314.
24. Lipp, H.-P., Litvin, O., Galsworthy, M., Vyssotski, D.L., Vyssotski, D.L., Zinn, P., Rau, A.E., Würbel, H., R., N., and Wolfer, D.P. (2006). Automated behavioral analysis of mice using INTELLICAGE: inter-laboratory comparisons and validation with exploratory behavior and spatial learning. In *Measuring Behavior Conference Proceedings*, L. Noldus, ed. (Wageningen: Noldus Inc.), pp. 66-69.
25. Welzl, H., D'Adamo, P., Wolfer, D.P., and Lipp, H.-P. (2006). Mouse models of hereditary mental retardation. In *Transgenic and Knockout Models of Neuropsychiatric Disorders*, Volume in press, G.S. Fish and J. Flint, eds. (Totowa, New Jersey, USA: Humana Press), pp. 101-126).
26. Amrein, I., Boonstra, R., Lipp, H.P. & Wojtowicz, J.M. (2008) Adult hippocampal neurogenesis in natural populations of mammals. In Gage, F.H., Kempermann, G., Song, H. (eds) *Adult Neurogenesis*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, pp. 645-659.
27. Lipp, H.-P. & Wolfer, D.P. (2013) Natural neurobiology and behavior of the mouse: relevance for behavioral studies in the laboratory. In Crusio, W.E., Sluyter, F., Gerlai, R.T. & Pietropaola, S. (eds), *Behavioral Genetics of the Mouse Volume I: Genetics of Behavioral Phenotypes*. Cambridge University Press, New York, pp. 5-16.

Monographies & Edited Books

- Lipp, H.-P. 1975. Droh-, Angriffs- und Fluchtverhalten beim Krallenäffchen *Callithrix jacchus*. Natürliche Verhaltensweisen und deren zentralnervöse Repräsentation im ventromedialen Hypothalamus. Eine neuroethologische Studie. PhD, University of Zürich.
- Alleva, E., Fasolo, A., Lipp, H.-P., Nadel, L. & Ricceri, L. 1995. *Behavioural Brain Research in Naturalistic and Semi-Naturalistic Settings: Possibilities and Perspectives*. Dordrecht, Netherlands: Kluwer.
- Lipp, H.-P., Dell'Arricia, G., Biro, D., Holland, R. A., Kanevskyi, V. A., Knaden, M., Patzke, N., Prior, H. & Smulders, T. V. 2009. *Large-scale spatial cognition in birds and mammals - ESF CompCog Workshop March 2009*. Testa di Lepre, Italy: University of Zürich.